

RCM Clinical guidance briefing: Maternity bereavement care during Covid-19

Topic

Bereavement Care in Maternity Services During Covid-19 Epidemic

Potential impact of Covid-19 in this topic area

The tragedy of pregnancy loss will sadly continue through the pandemic and women and families will need access to high quality care

- Families may receive care from someone inexperienced in bereavement care provision
- Families are isolated or distant from their wider networks of support such as family and friends
- Access to services such as funerals may be prolonged due to resource and demand
- Families may be anxious as to the cause of their loss
- Access to peer support is limited or absent, for both Health Professionals and families

Current key guidance for this topic – clinical care and advice for women

- Supporting parents and families can be stressful and demanding **following** a pregnancy loss or when a baby dies. These reasons will be individual and may include staff having to manage their own emotions following their own experience(s) of loss; a feeling of professional failure following a baby death and anxiety caused by wanting to 'get it right' knowing this is a difficult time for parents.
- Pregnant women do not appear more likely to contract the infection than the general population. Pregnancy itself alters the body's immune system and response to viral infections in general, which can occasionally be related to more severe symptoms and this will be the same for COVID-19.

With regard to vertical transmission (transmission from mother to baby antenatally or intrapartum), emerging evidence now suggests that vertical transmission is thought to be probable, although the proportion of pregnancies affected and the significance to the neonate has yet to be determined. Previous case reports from China suggested that there was no evidence for this and amniotic fluid, cord blood, neonatal throat swabs, placenta swabs, genital fluid and breastmilk samples from COVID-19 infected mothers have so far, all tested negative for the virus. A new report published on Thursday 26 March 2020 describes a single maternal-neonatal pair in which the infant born to a COVID-19 positive mother was found to have SARS-COV-2 IgM in serum at birth. Since IgM does not cross the placenta, this is likely to represent a neonatal immune response to in utero infection.

https://www.rcm.org.uk/media/3824/2020-03-28-covid19-pregnancy-guidance.pdf

Current Evidence base

Stage	Туре	Link		
Caring for	e-learning	http://www.miscarriageassociation.org.uk/information/for-health-		
women		professionals/e-learning		
experiencing				
early loss				
Miscarriage	webpage	e https://www.miscarriageassociation.org.uk/information/for-health-		
association		professionals/guidance-miscarriages-occur-home/		

Miscarriage,	webpage	https://www.nbcpscotland.org.uk/miscarriage/training-and-support/		
Ectopic and				
Molar		www.nbcpscotland.org.uk/miscarriage/resources		
Pregnancy				
Resources				
Marking loss,	webpage/video	https://futurehealthandwellbeing.org/ritualrespect		
making				
memories				
After the	download	https://www.bliss.org.uk/		
loss:		https://www.sehd.scot.nhs.uk/cmo/CMO(2015)07.pdf		
certificates,		https://www.sands.org.uk/		
post		https://twinstrust.org/bereavement/support/resources.html		
mortem,				
cremation				
	video	Parent to Parent Post Mortem Authorisation		
	video	Talking to parents about their decisions around burial or cremation after		
		the death of their baby		
	webpage	https://www.miscarriageassociation.org.uk/information/for-health-		
		professionals/certification/		
	webpage	http://www.healthliteracyplace.org.uk/tools-and-		
		techniques/techniques/teach-back		
SANDS –	webpage	https://nbcpathway.org.uk/		
National				
Bereavement		https://www.nbcpscotland.org.uk/		
Care				
Pathways				
NBCP	eLfH	Bereavement care after pregnancy loss – learning for all		
https://portal.e-		Bereavement care after pregnancy loss – for health professionals		
	lfh.or.uk	Small wonders		

References and links to online and virtual support and guidance

Title	Туре	Link
ARC advice for professionals	Webpage	www.arc-uk.org/for-professionals
Bereavement following	e-learning	www.knowledge.scot.nhs.uk/maternalhealth/learning/bereavement-
Pregnancy Loss and the Death		following-pregnancy.aspx
of a Baby		
Sands advice for professionals	webpage	www.sands.org.uk/professionals
Ambulance crews	Video	https://youtu.be/iU1qtt09qho
Antenatal and postnatal	webpage	https://www.bestbeginnings.org.uk/helping-parents-with-mental-
mental health		health-issues
NICE guidance ante natal and	webpage	https://www.nice.org.uk/guidance/qs115
postnatal mental health		
One chance to get it right:	e-learning	https://www.ilearn.rcm.org.uk/enrol/index.php?id=583
bereavement care		(RCM members only)
Miscarriage Association advice	webpage	https://www.miscarriageassociation.org.uk/information/for-health-
for professionals		professionals/
Tommy's	webpage	https://www.tommys.org/pregnancy-information/about-
		us/tommys-midwife-alexa-and-google-home-app-pregnancy-
		questions